

### Amendments to the Claims

The listing of claims will replace all prior versions and listing of claims in the application.

### Listing of Claims

1. (Currently amended) A utility belt for baby equipment comprising:
  - an elongated belt member having a first end, a second end, an outer surface and an inner surface;
  - attachment means mounted on said belt for removable attachment of said first end and said second end of said belt member;
  - a first receptacle ~~means~~ removably mounted on said attachment means;
  - a first panel ~~means~~ having an upper edge, a lower edge, a first side edge and a second side edge, with said lower edge of said first panel means connected to said outer surface of said belt member, with said first side edge and said upper edge intersecting to form a first corner; with said second side edge and said upper edge intersecting to form a second corner; with said first corner and said second corner each connected to said belt member thereby forming openings between said first panel ~~means~~ and said outer surface of said belt member along said first side edge of said first panel ~~means~~, along said second side edge of said first panel ~~means~~ and along said upper edge of said first panel ~~means~~.
2. (Original) The utility belt for baby equipment as claimed in claim 1 in which said attachment means comprises:
  - first attachment means disposed on said belt member for removable connection of said first end and said second end, with said

first attachment means disposed on said outer surface of said belt member;

second attachment means disposed on said inner surface of said belt member with said second attachment means cooperating with said first attachment means for removable connection of said first end of said belt member and said second end of said belt member in order to encircle the waist of a user.

3. (Currently amended) The utility belt for baby equipment as claimed in claim 1 in which said first panel ~~means~~ is made of a flexible mesh material.
4. (Currently amended) The utility belt for baby equipment as claimed in claim 1 in which said upper edge of said first panel ~~means~~ further comprises:

elastic means.
5. (Currently amended) The utility belt for baby equipment as claimed in claim 1 in which said first receptacle ~~means~~ is generally cylindrical.
6. (Currently amended) The utility belt for baby equipment as claimed in claim 1 in which said first receptacle ~~means~~ has a generally circular bottom.
7. (Currently amended) The utility belt for baby equipment as claimed in claim 1 in which said first receptacle ~~means~~ has an upper edge and in which said upper edge of said receptacle means further comprises:

an elastic ~~means~~ member.

8. (Currently amended) The utility belt for baby equipment as claimed in claim 1 further comprising:
- a second receptacle ~~means~~ disposed on said outer surface of said belt member.
9. (Currently amended) The utility belt for baby equipment as claimed in claim 1 in which said second receptacle ~~means~~ comprises:
- a generally flat back panel.
10. (Currently amended) The utility belt for baby equipment as claimed in claim 1 comprising:
- a second panel ~~means~~ with said second panel ~~means~~ having at least three edges and with said three edges attached to said inner surface of said belt member.
11. (Currently amended) The utility belt for baby equipment as claimed in claim 1 further comprising:
- a first pocket ~~means~~ disposed on said inner surface of said belt member with said first pocket ~~means~~ having an inner surface;
- a plastic film ~~means~~ disposed on said inner surface of said first pocket ~~means~~.
12. (Currently amended) The utility belt for baby equipment as claimed in claim 1 further comprising:
- a second pocket ~~means~~ with said second pocket ~~means~~ disposed on said inner surface of said belt member.
13. (Currently amended) The utility belt for baby equipment as claimed in

claim 4 12 in which said second pocket ~~means~~ comprises:

at least three edges and with said second pocket means attached to  
said belt member along said three edges.

14. (Original) The utility belt for baby equipment as claimed in claim 1 in which  
said attachment means comprises:

a loop member.

15. (Original) The utility belt for baby equipment as claimed in claim 2 in which  
said second attachment means comprises:

a hook member.

16. (Original) The utility belt for baby equipment as claimed in claim 1 in which  
said belt member comprises:

an upper edge;

a lower edge, and

a pair of side edges.

17. (Original) The utility belt for baby equipment as claimed in claim 16 in  
which said belt member further comprises:

a generally concave upper edge, and

a generally convex lower edge.

18. (Original) The utility belt for baby equipment as claimed in claim 16 in  
which said side edges of said belt member further comprise:

rounded corners.

19. (Currently amended) The utility belt for baby equipment as claimed in  
claim 1 in which said belt member further comprises:

a third panel ~~means~~ disposed in general alignment with said first panel  
~~means~~ with said third panel ~~means~~ made of a mesh material.

20. (Currently amended) A utility belt for baby equipment comprising:

an elongated belt member having a first end, a second end, an  
outer surface and an inner surface;

attachment means mounted on said belt for removable attachment  
of said first end and said second end of said belt member;

a first receptacle ~~means~~ mounted on said elongated belt member;

a first panel ~~means~~ having an upper edge, a lower edge, a first side  
edge and a second side edge, with said lower edge of said first panel  
~~means~~ connected to said outer surface of said belt member, with said  
first side edge and said upper edge intersecting to form a first corner;  
with said second side edge and said upper edge intersecting to form a  
second corner; with said first corner and said second corner each  
connected to said belt member thereby forming openings between said  
first panel means and said outer surface of said belt member along said  
first side edge of said first panel ~~means~~, along said second side edge of  
said first panel ~~means~~ and along said upper edge of said first panel  
means.

21. (New) A utility belt for baby equipment comprising:

an elongated belt member having a first end, a second end,  
an outer surface and an inner surface;

attachment means mounted on said belt for removable attachment of said first end and said second end of said belt member;

a first receptacle removably mounted on said attachment means;

a first panel having an upper edge, a lower edge, a first side edge and a second side edge, with said lower edge of said first panel connected to said outer surface of said belt member, with said first side edge and said upper edge intersecting to form a first corner; with said second side edge and said upper edge intersecting to form a second corner; with said first corner and said second corner each connected to said belt member thereby forming openings between said first panel and said outer surface of said belt member along said first side edge of said first panel, along said second side edge of said first panel and along said upper edge of said first panel in which said upper edge of said first panel further comprises:

elastic means.

22. (New) A utility belt for baby equipment comprising:

an elongated belt member having a first end, a second end, an outer surface and an inner surface;

attachment means mounted on said belt for removable attachment of said first end and said second end of said belt member;

a first receptacle removably mounted on said attachment means;

a first panel having an upper edge, a lower edge, a first side edge

and a second side edge, with said lower edge of said first panel connected to said outer surface of said belt member, with said first side edge and said upper edge intersecting to form a first corner; with said second side edge and said upper edge intersecting to form a second corner; with said first corner and said second corner each connected to said belt member thereby forming openings between said first panel and said outer surface of said belt member along said first side edge of said first panel , along said second side edge of said first panel and along said upper edge of said first panel in which said first receptacle has an upper edge in which said upper edge of said first receptacle further comprises :  
elastic means.